







BTX-TITAN (ART. 04378)

- Beam, Spot and Wash in 1 unit!
- OSRAM SIRIUS HRI 280 lamp (7800K)
- BEAM: 2,7° ~ 11°, max. 82.650 lux @ 20m
- SPOT: 5° ~ 23°, max. 25.400 lux @ 10m
- 14 colors + 14 static gobos + 9 rotating gobos
- 2 Prisms (combinable): 8 facet round + 6 facet linear
- Linear FROST-filter (WASH effect)
- Motorized ZOOM + FOCUS
- 2.8" Color touch screen
- 3-Phase motors: fast pan/tilt (8 or 16bit)
- Power consumption : only 400W.
- Case for 2 devices available (art. 03251)





BTX-SATURN (ART. 04424)

- Very bright moving head projector based on a powerful 270W LED engine (8000K)!
 - 8° beam: 27'500 lux @ 5m
- 45° beam: 1'460 lux @ 5m
- Linear CMY color mixing
- Separate color wheel: 9 colors + open
- Motorized ZOOM (8°-45°) + FOCUS + IRIS
- 2 gobo wheels: 7 rotating + 9 fixed
- Rotating 3 facet prism + frost filter for wash effect
- Extremely fast electronic dimmer/shutter
- Different strobe effects
- Extremely low noise: perfect for theatres, ...



BTX-HAWK (ART. D4398)

- A very bright moving head projector
- Based on a powerful 180W LED engine!
- Highly polished 13° optics guarantees an incredibly sharp and bright output: 49500 lux @ 1m!
- Very fast pan/tilt movements
- 3 facet + linear prism
- Frost filter
- -8 or 16bit resolution pan/tilt resolution with X/Y position correction and pan/tilt speed channel.
- Uses 13 or 15 DMX channels.
- Case for 2 devices available (art. 03263)



BrieQ www.briteQ-Lighting.com



BTX-BEAM 2R (ART. 04372)

- Legendary Philips MSD Platinum 2R lamp!
- Brightness: 338'400 lux@5m, 92'420lux@10m!
- 2,8° Beam angle
- DMX-controlled electronic focus
- 17 sharp gobos + open
- 14 carefully selected dichroic colors + open
- Very fast mechanical dimmer/shutter
- 2 rotating prisms: 1pc 8-facet, 1pc Trapezoid
- 8 or 16bit pan/tilt with position correction
- Matrix LCD-display
- Remote lamp on/off control
- Case for 4 devices available (art. 03248)



BTX-BEAM 5R (ART. 04353)

- Legendary Philips MSD Platinum 5R lamp!
- Brightness: 200.000lux@10m, 60.000lux@20m!
- 3,8° Beam angle
- DMX-controlled electronic focus
- 17 sharp gobos + open
- 14 carefully selected dichroic colors + open
- Very fast mechanical dimmer/shutter
- Fast rotating 8-facet prism for special effects
- 8 or 16bit pan/tilt with position correction
- Matrix LCD-display
- Remote lamp on/off control
- Case for 2 devices available (art. 03239)



WHY PULSE CAFÉ CHOOSES BRITEQ

In 2005 DJ George Goderis started Pulse Factory, a new and unique night-scene experience.

Because of the succes of this concept, he was looking for a bigger venue. In 2013 he took over club "La Bush", the famous Temple of House, and branded it the "Pulse Café". Today the "Pulse Café" is one of Belgium's most innovating and successful discotheques.

On one single location Pulse Café succesfully merges a main stage, a smaller dance room, a loungy cocktail bar and a large outdoor terrace with pool: Pulse Terraza. Each location has its own music style and atmosphere.

Based on the seasons the concept constantly evolves, as does the light show.

To be able to keep innovating and remain successful, George and his sound&light-advisor Stephane Melotte, were looking for a reactive and reliable lighting partner with an excellent support and expertise.

Since 2013 the Pulse Factory chose BRITEQ as main lighting partner.

With over 350 (and growing) Briteq lighting fixtures they are one of the top Briteq users in the discotheque scene. If you are looking for a unique lightshow or just want to have a great night out, "The Pulse Café" is your place to be.

www.newpulse.be





BT-TRACKER (ART. 04387)

- Super compact but very powerful moving beam
- SIRIUS HRI-100 discharge lamp from OSRAM!
- Brightness: 310'000 lux @ 5m, 77'000 lux @ 10m!
- 3° Beam angle
- 10 sharp gobos + 4beam shapers + open
- 14 carefully selected dichroic colors + open
- Very fast mechanical dimmer/shutter
- Different strobe functions
- 8-facet rotating prism with different macros, controlled by DMX
- The very fast pan/tilt movements (540°/270°) assure very dynamic show programming.
- Case for 4 devices available (art. 03264)





BT-METEOR (ART. 04384)

- Compact 100W LED moving head for Pro DJ, rental companies and discotheques
- Brightness: 5'470 lux @ 5m (beam angle 12°)
- 0-100% dimming and fast strobe function
- 6 rotating gobos + open and 3 facet prism
- Independent color wheel with split function
- Manually adjustable beam angle (12-17°)
- DMX-controlled focus.
- Modes: standalone, M/S, DMX, DMX M/S
- Equipped with Omega bracket
- Case for 2 devices available (art. 03255)



WTR-DMX DONGLE (ART. 04645)

- The perfect solution when wireless DMX is needed.
- Compatible with "Wireless Solution" W-DMX™
- One-button setup for ease of use.
- Easy plug in on compatible projectors.
- 2.4GHz band for worldwide license free use.
- 32 bit ARM processor for high speed.
- FHSS (1800 hops/s) for stable connection.
- DMA transfer : virtually NO delay in DMX!
- R&TTE certified.
- Small antenna for better mechanical reliability.



BT-DRBIT (ART. 04423)

- Successor of the popular BT-W19L10 ZOOM with redesigned optics and 65% more output: 8400 lux @5m /10°
- 19pcs 4in1 RGBW 15W leds
- 3 individually controlled LED-rings
- 10° to 60° zoom
- Perfect color consistency and extremely smooth dimming from 0% to maximum output
- Calibrated color macros for easy programming
- Multiple DMX channel modes + 2 modes that are 100% compatible with the BT-W19L10 ZOOM
- Automatic X/Y re-positioning
- Low consumption : only 290W



TORNADO 7 (ART. 04376)

- High speed ENDLESS ROTATION PAN/TILT movements with 16bit resolution and
- Automatic X/Y re-positioning for amazingly
- Dynamic show programming
- Very bright 6° beam for maximum impact.
- 7pcs Osram® "OSTAR" 4in1 RGBW 15W LEDs with 4 zone pixel control!
- Linear color temp correction: 2700K to 10000K
- Modes: Standalone, M/S, DMX
- Equipped with omega bracket for fast installation
- Case for 4 devices available (art. 03247)



BEAM FURY-1 (ART. D4394)

- The combination of a 60W RGBW led and a very efficient collimator optic 4° lens results in an extremely powerful single beam projector.
- High speed ENDLESS ROTATION pan/tilt movements
- Thanks to the included 10° and 45° filters this beauty can also be used as a wash projector
- Different DMX-modes: 12 and 14 channels
- RDM-functionality for easy remote setup
- TV-Studio ready: extremely low noise cooling system and flicker free 1200Hz LED refresh rate
- Case for 6 devices available (art. 03265)







BEAM WIZARD5X5 (ART. 04417)


- 25 extremely effective very narrow 4.5° lenses
- Powerful and reliable OSRAM 15W RGBW-leds
- High speed ENDLESS ROTATION pan/tilt movements
- 16bit pan/tilt resolution with automatic X/Y re-positioning
- 116ch mode in DMX for full flexibility or use the internal RGB-effects library (containing letters, numbers, chases) so you only need 18ch to make a professional show
- Art-Net compatible
- Internal Art-Net to DMX-512 conversion
- TV-Studio ready: extremely low noise cooling system and flicker free 1200Hz LED refresh rate
- RJ45 ethernet + 3pin & 5pin DMX in/outputs
- Case for 2 devices (art. 03256)



BEAM MATRIX5x5-RGBW (ART. 04416)

Our POWERMATRIX5X5 with BEAMS!

- Mechanically compatible with our other POWERMATRIX5X5-RGB (Mk2) models
- 25pcs 4.5° OSRAM 15W RGBW-LEDs
- Internal effects library: letters, numbers, chases,...
- RDM-functionality for easy remote setup
- Excellent 16bit RGB color mixing and dimming
- Very high 1200Hz refresh rate (TV-studios)
- Modes: standalone, M/S, M/S DMX, DMX
- Art-Net compatible
- Case for 6 devices available (art.04422)



BEAMBAR-RGBW

- Extremely effective very narrow 4.5° lenses
- Powerful and reliable OSRAM 15W RGBW-leds
- Use as beam or wash (with the included frost filter)
- 30ch mode in DMX for full flexibility or use the internal RGB- chases with only 3channels
- Art-Net compatible
- Internal Art-Net to DMX-512 conversion
- TV-Studio ready: passive cooling system and flicker free 1200Hz LED refresh rate
- Available in 5 or 10 LED-BAR: BEAMBAR5-RGBW (art. 04419)
 - BEAMBAR10-RGBW (art.04418)
- Cases for 4xBEAMBAR10 or 8xBEAMBAR5 (art. 03257)



POWERMATRIX5x5-RGB MKZ (ART. 04412)

Our POWERMATRIX5x5-RGB with ARTNET!

- 100% compatible with POWERMATRIX5x5-RGB
- A 5x5 matrix with 25pcs 30W COB RGB-leds
- Effects library: letters, numbers, chases,...
- RDM-functionality for easy remote setup
- Excellent 16bit RGB color mixing and dimming
- Very high 1200Hz refresh rate (TV-studios)
- Silent operation
- Modes: standalone, M/S, M/S DMX, DMX
- Different DMX channel modes (4ch-131ch)
- 3pin,5pin, Artnet & PowerCON DMX in/outs
- Case for 6 devices available (art.04422)



WWW.BRITEQ-LIGHTING.COM

BT-GLOW PANEL (ART. 04425)

- Perfect integration of smooth RGB-glow effects and a powerful 6x6 matrix of sharp 4.5° white beams
- The ingenious concept uses between 4 and maximum 43 DMX-channels for full control
- Each panel contains 36x white 3watt CREE leds + 144x RGB leds
- A lightweight 50x50x8,4 cm diecast ALU-frame and quick lock system allow the build of massive screens in no time
- The LCD-display and XLR 3pin + Power in/out make the installation and setup fast and easy
- Maximum power consumption: 190W
- Optional BT-GLOWPANEL BRACKET (art. 04426)

BT-GLOW BAR12 (ART. D4424)

- Perfect integration of smooth RGB-glow effects and 12pcs sharp 4.5° white beams
- The ingenious concept uses between 4 and maximum 19 DMX-channels for full control
- Each bar contains 12x white 3watt CREE leds + 48x RGB leds
- The 100x83x103 cm long bars can be used separately or can be integrated with the BT-GLOWPANELs
- The LCD-display and XLR 3pin + Power in/out make the installation and setup fast and easy.
- Maximum power consumption : 70W





NEW



BRITEQ @ WOOFERLAND FESTIVAL



In the summer of 2016 React Audiovisueel was solicited by the organisation of Wooferland to deliver light and sound equipment for their summer festival. The entire light show was based on Briteq fixtures with headliners like our BTX-BEAM 5R, BEAM WIZARD5x5, POWERPIXEL8-RGB, ...

www.react-av.nl www.wooferland.nl



BT-GIGAFLASH (ART. 04714)

- Extremely powerful LED strobe with 9 separately controllable segments
- 1260 strobe LEDs for an exceptional light output of +/-100.000 lm
- Long time blinder function with auto fade down function
- Stunning built-in random pixel strobe effects, no extra programming needed
- LCD-display for easy setup menu navigation
- The 2-leaf bamdoor with glossy internal reflector increases the visual output and protects during transport.





BT-GIGAFLASH RGB (ART. 04716)

- Extremely powerful LED strobe with 3 separately controllable segments!
- 1260 RGB strobe LEDs for an exceptional light output of +/-40.000 lm
- Long time blinder function with auto fade down function
- Stunning built-in random pixel strobe effects, no extra programming needed.
- DMX-control
- TV-Studio ready:
- Natural white: 4500K with CRI > 90
- Flicker free 2000Hz LED refresh rate
- In case of DMX failure you can choose between blackout and freeze mode.

BT-MAGICFLASH (ART. 04715)

- Powerful LED strobe with 9 separately controllable segments!
- 324 strobe LEDs for an exceptional light output of +/-35.000 lm
- Long time blinder function with auto fade down function
- Stunning built-in random pixel strobe effects, no extra programming needed.
- LCD-display for easy setup menu navigation
- Can be used as wash projector at reduced output
- TV-Studio ready:

Natural white: 4500K with CRI > 90 Flicker free 2000Hz LED refresh rate Low noise cooling system





BT-MAGICFLASH RGB (ART. 04717)

- Powerful LED strobe with 3 separately controllable segments!
- 324 RGB strobe LEDs for an exceptional light output of +/-15k lm
- Long time blinder function with auto fade down function
- Stunning built-in random pixel strobe effects, no extra programming needed.
- DMX-control
- Can be used as wash projector at reduced output
- TV-Studio ready:
- Natural white: 4500K with CRI > 90
- Flicker free 2000Hz LED refresh rate
- In case of DMX failure you can choose between blackout and freeze mode.





BEAMSPOT

DMX VERSIONS:

- The perfect "high power" LED BEAM PINSPOT
- Uses a 15W LED with 4.5° lens
- OLED display for easy menu navigation
- Strong die-cast ALU housing
- Convection cooling, no fan: no noise!
- XLR 3pin in/out, PowerCON® in/out
- Different versions :
- Natural white 4500K: BEAMSPOT-DMX NW (art. 04956)
- Color RGBW: BEAMSPOT-DMX FC (art. 04957)

TRIAC VERSIONS:

- Powerful 15W WHITE LED with 4.5° lens
- Direct replacement for the old PAR36 PINSPOT!
- NO DMX inside: can be dimmed using traditional triac dimmers or with the dimmer knob on the back panel
- Different versions :
- Warm white 3200K: BEAMSPOT-TRIAC WW (art. 04954)
- Natural white 4500K: BEAMSPOT-TRIAC NW (art. 04955)



BT-MINIPROFILE LED 3200K (ART. 06009)

- The perfect projector for small and medium scale applications in museums, art-galleries, stores, etc...
- Energy saving 10W warm white LED (3200K, CRI >85) assures a excellent light output and long life
- The output can be dimmed using any traditional 230V dimmer pack or by applying a 0/10V voltage to the control signal input
- Rugged black die-cast aluminum construction
- For your convenience the projector is sold as two separate parts: LED engine + separate optics



BT-MINIPROFILE OPTICS

- Specially adapted optic with manual focus and continually adjustable beam edge (hard/soft)
- Gel frame and gobo holder included
- 2 models available: Beam angle: 19° (art. 06010) Beam angle: 26° (art. 06011)



BT-MINIPROFILE ZOOM OPTIC (ART. 06017)

- Specially adapted optic with manual focus and continually adjustable beam edge (hard/soft)
- Manual zoom 19°-36°
- With the 4 blade shutter you can give any desired shape to the beam
- Gel frame and gobo holder included





NEW BT-THEATRE 250 EZ (ART. 06017)

- Extremely powerful LED theater spot with electronic 10° ~ 50° zoom.
- 250watt LED, warm white 3200K with high CRI-factor (>92) for natural colors.
- Completely silent operation, no noisy cooling fan.
- RDM-functionality for easy remote setup
- Lock function to avoid unwanted altering of the settings
- User settings can be saved/loaded.
- Neutrik PowerCon in/outputs: easy daisy
- Very high 1200Hz refresh rate (TV-studios)
- Barndoor included



BT-THEATRE 100EC MKZ (ART. 06008)

- Cost effective LED theater spot with manual 10° ~ 50° zoom.
- The powerful 100W white COB makes it a perfect replacement for a traditional 1000W halogen theater spot
- Color frame for use of color filters and barn doors included
- No more heavy and expensive dimmer packs needed!
- Color temperature 3200K with high CRI-factor: 85 for natural colors
- Neutrik PowerCon in/outputs: easy daisy chaining of several units.
- Very high 1200Hz refresh rate (TV-studios)
- Forced very low noise fan cooling (31dB @ 1m)
- Also avaible in white enclosure (art.06012)



BT-THEATRE 50WW (ART.06014)

- LED theater spot with manual 10° ~ 50° zoom
- Perfect for use in showrooms, shops, ...
- Four-leaf barndoor included
- Warm white 3200K with high CRI-factor (>92) for natural colors.
- DMX controlled 1ch & 2ch
- Available with black or white housing
- Also available in Black version (art. 06013)

BT-THEATRE 60FC (ART. D6D 15)

- LED theater spot with manual 10° ~ 50° zoom
- Perfect for use in clubs, shops, rental, ...
- Four-leaf bamdoor included
- 60W RGBW LED
- DMX controlled 4ch, 5ch or 6ch mode
- Low noise, temperature controlled, fan
- Available with black housing
- Selectable lamp behavior : halogen / led



BrieQ www.briteq-Lighting.com

BT-ULTRAZOOM (ART. 04396)

- Extremely powerful 180W RGBW LED projector
- The fast but smooth 4° to 40° motorized zoom can be used to create incredible zooming effects
- Thanks to the unique optical lens design this projector produces a perfectly uniform beam with excellent color mixing
- The sturdy die cast aluminium housing is IP65 waterproof
- Six DMX-modes from 5 to 17 channels
- The projector looks like a traditional lamp but has all the advantages of LED: energy cost savings!
- Color temperature presets: 2700K ~ 8000K



BT-SMARTZOOM (ART. 04397)

- Extremely powerful 120W RGBW LED projector
- The fast but smooth 4° to 40° motorized zoom can be used to create incredible zooming effects
- Thanks to the unique optical lens design this projector produces a perfectly uniform beam with excellent color mixing
- The sturdy die cast aluminium housing is IP65 waterproof
- Six DMX-modes from 5 to 17 channels, including 2 modes
- The projector looks like a traditional lamp but has all the advantages of LED: energy cost savings!
- Color temperature presets: 2700K ~ 8000K



PRO BEAMER ZOOM MK2

- Very powerful RGBW LED projector
- Unwanted RGBW shadows are completely eliminated
- Perfect and evenly spread color mixing, even at short range.
- Motorized zoom: 8° 40°
- The use of LED Technology makes important energy (cost) savings possible compared to units based on halogen lamps!
- Color temperature presets 3200K ~ 10.000K
- White & RGB Calibration
- Different dimmer curves
- Tempered glass lens protection
- Available in 2 versions:
 - INDOOR (art. 04385)
 - OUTDOOR (art. 04386)







LDP-POWERBAR 24FC (ART. 05132)

- RGB-projector with excellent light output and perfect color mixing thanks to 24pcs 4Watt RGBW LEDs
- Four sections of 6 LEDs can be controlled separately
- Adjustable and removable barndoor
- The bracket can be easily adjusted in any position
- Optimal thermal management for long lifespan
- Power supply and DMX receiver inside allow daisy chaining
- -Waterproof input and output connectors allow the user to link up to 12 units
- IP65: suitable for outdoor installation and use
- LxW: 960mm x 48mm
- A smaller LDP-POWERBAR 12FC is also vailable (art. 05131)



EXPO CANNON CW (ART. 05133)

- Very powerful projector, ideal for big (car) showrooms, ...
- The 37pcs 10W Cold white (6300K) CREE LEDs produce an extremely powerful 25° / 30° beam
- Very high CRI >85, important for perfect color rendering!
- Modes: standalone or DMX
- Can be used as powerful, directional LED-strobe
- Low power consumption, only 400W
- Very high 3600Hz LED refresh rate for flicker free TV-recordings
- Silent operation, thanks to the temperature controlled "low airstream" cooling system
- In case of DMX failure you can choose between blackout and freeze mode
- Barndoors optional



LED UV GUN 100W (ART. 03807)

- A reliable 100Watt "COB" LED-based black light.
- DMX control via 1 or 2 channels.
- Can be dimmed from 0% to 100%.
- Sound activated mode with internal mic.
- Variable Strobe.
- Master/slave mode for bigger venues.
- Extruded black aluminium housing with strong bracket.
- RDM-functionality for easy remote setup.
- No fragile, easy breakable lamps: perfect for hiring companies!
- Optional IR-remote control for easy operation!



ADAPTER POWERCON TO IP-POWER

- These special adapters make it possible to use our standard POWERCON/XLR COMBI CABLES together with the new IP-POWER/XLR COMBI CABLES
- ADAPTER POWERCON TO IP-POWER (art. 01365)
- ADAPTER IP-POWER TO POWERCON (art. 01360)

IP-POWER/XLR COMBI CABLE

- IP-POWER/XLR COMBI CABLE 1M3 (art. 01361)
- IP-POWER/XLR COMBI CABLE 3M (art. 01362)
- IP-POWER/XLR COMBI CABLE 5M (art. 01363)
- IP-POWER/XLR COMBI CABLE 10M (art. 01364)

POWERCABLE

- POWERCABLE-3G1,5-3M-F (art. 01375)
- POWERCABLE-3G1,5-5M-F (art. 01376)
- POWERCABLE-3G1.5-10M-F (art. 01377)
- POWERCABLE-3G2,5-5M-F (art. 01381)
- POWERCABLE-3G2,5-10M-F (art. 01382)
- POWERCABLE-3G2,5-20M-F (art. 01383)



- SEMKO and CE certified 4-socket box
- IP44 16A 250V MAX 3680W
- Frensh & Belgian socket
- MULTISOCKET4PRO-F-3M (art. 01387)
- MULTISOCKET4PRO-F-5M (art. 01389)

CEE-CABLES

- SEMKO and CE certified CEE-CABLES:
- IP67 63A-6H 220/380V 3P+N+E
- CEE-CABLE-32A-5G6-5M (art. 01391)
- CEE-CABLE-32A-5G6-10M (art. 01392)
- CEE-CABLE-32A-5G6-20M (art. 01393)
- CEE-CABLE-63A-5G16-5M (art. 01394)
- CEE-CABLE-63A-5G16-10M (art. 01395)
- CEE-CABLE-63A-5G16-20M (art. 01396)















PD-325H

- Identical to the PD-32A but with additional
- 19pin Socapex and 16pin Harting.
- 3-phase power distributor.
- Designed and build compliant to the highest European and international safety standards. 30mA, 4pole residual current circuit breaker
- Oversized internal wiring for increased reliability!
- Accurate digital 3-digit V-per phase
- Accurate digital 3-digit A-meters per phase
- Two C16 (16A 1P+N) automatic circuit breakers per phase
- 1,5m long mains input cable (3x 32A, 5wire) equipped with CEE (3P+N+E) 32A inlet plug
- CEE (3P+N+E) outlet socket (3x 32A, 5wire)
- 6x earthed 16A mains outlet sockets on the back panel (2 sockets per phase)
- Extremely robust 19"/3U metal housing
- Available with 2 types of connectors :
 PD-32SH/FR-BEL (art. 04636)

 - PD-32SH/GERMAN (art. 04637)



PD-63A MK2

- 3-Phase 63A power distributor
- Output:
 - 2x CEE (3P+N+E) with C32 (32A 3P) fuses
- 3x mains sockets 16A with C16 (16A 2P)
- 4pole, 30mA residual current circuit breaker
- Built to the highest European standards
- Available with 2 types of connectors :
 - PD-63A Mk2/FRA-BEL (art. 04639)
 - PD-63A Mk2/GERMAN (art. 04640)



PD635H

- This 3-phase power distributor is designed to improve safety
- Designed and build to the highest European and international safety standards
- Oversized internal wiring for increased reliability!
- 63A 4pole circuit breaker protects ALL outputs, including the 63A output to the next unit
- 12x earthed 16A mains outlet sockets
- 2x16pin Harting + 2x19pin Socapex
- CEE 63A (3P+N+E) outlet socket
- The 30mA, 4pole residual current circuit breaker prevents electrical shocks
- Phase indicators to easily check if the 3phases are available
- 2 accurate digital 3-digit volt- and ampere-meters per phase
- Extremely robust 19"/6U metal housing
- Available with 2 types of connectors :
- PD63SH/FRA-BEL (art. 04647)
- PD63SH/GERMAN (art. 04648)



WWW.BRITEQ-LIGHTING.COM

RICO-V4 (ART. 04845)

- Controls 4 chain hoists individually
- Each channel is equipped with a motor phase inverse switch
- Several units can be linked in master/slave (XLR-5pin in/out)
- Optional RICO-REMOTE available (art. 04650) that can control several units
- Both RICO-V4 and the optional remote have separate UP/DOWN buttons + Emergency knob
- Input: 400V (3P+N+E) with 3 phase indicators & C32 (32A-3P+N) 4-POLE automatic circuit breaker
- Multifunctional outputs: 4x CEE 16A (4p), 1x Harting 16pin, 1x Socapex 19pin, 1x mains outlet 16A with C16 (16A - 1P+N) 2-POLE automatic circuit breaker, 1x CEE 32A (to extra unit)
- Dimensions: 19" / 4U



BRITEQ, YOUR COMFORTABLE CHOICE

We understand your huge workload. We feel your time pressure. We know you have a busy life. We make sure all your needs are covered by Briteq.

Briteq offers complete solutions for its users. Accessories are selected and developed according to the same high Briteq standards. Compatibility is the key to flexibility.

BT-TRUSS

Made in Europe, according the highest testing standards. Trusses, T-drops, Frames, baseplates, ...

BT-STAGE

Outdoor stages, indoor stages, risers, fixed legs, adjustables, fixations, stairs... all your staging needs are at your disposal ... at budget friendly prices.

CLAMPS & SAFETY

Omega brackets, Fast Clamps, safety cables, G-Clamps, Black, Silver, Safely HOOK UP WITH US!

FLIGHTCASES

Briteq develops its own flightcases: tailor-made for the fixtures, or for general applications. Always considering the rental needs: heavy-duty, with the right dimensions.

GAFFER TAPE

The good one! Easy to tear, leaves no marks, ...

CABLES, CONNECTORS & CONVERTORS

Besides the power cables (p. 13), Briteq has its own range of mounted cables (combined Neutrik® + Tasker®), connectors, convertors, wireless DMX solutions, ...







BEGLEC NV HAS THE RIGHT TO CHANGE PRODUCTS AND SPECIFICATIONS WITH AND WITHOUT NOTICE, MAJOR AS WELL AS MINOR CHANGES CAN BE INVOLVED. THIS CATALOG CAN CONTAIN ERRORS, THEREFORE WE ADVICE TO CONSULT YOUR LOCAL DEALER TO ENSURE THAT ACTUAL FEATURES AND SPECIFICATIONS MATCH YOUR REQUIREMENTS.

COPYRIGHT © 2017 BY BEGLEC NV. ALL RIGHTS RESERVED.

FOLLOW US

